-			•
25	X	1	Α

Approved For Release 2002/06/24: CIA-RDP75B00289R000400130004-0

ILLEGIB

_	_	.,	4		
2	5	Х	1	Α	

(d) WE ALSO NEED PICOT COMFORT &

ACCESS EVALUATION IN AIRPLANE & CHUTE SUSPENSION
WITH OUR DE GEAR INSTALLED, BELTS & HARNESSES CINCHED

WILL OBJECT OF

MAKING AN IMMEDIATE INSTALLATION BUT

ADDITIONAL FOR RELEASE 2002/06/24 CHARDRISED OF BOOD 400 BOOD 4-5 TEMS. BUT

THIS IS NOT WE HELEGIB

	A SIMPLE MODIFICATION TO OVERCOME
	THO COURT ON THE CONDECT AND
	SUIT-VEST JOE 15 NOT LWARE ILLEGIB
25X1A	OUR MODIFICATION.
	or vector up
/	WGS IN WORK WHICH
	FITTINGS FOR
	4. AUXILIARY COOLING TEST HOME
	BEEN RUN YET FIREWEL & BASSE
-	THE DEEN NEGOLIA LINE A DOCCOMA
-	WHICH MAY NOT YET BE RESOLVED
25X1A	15 HAYING FOCCOWING
-	DONE TO PARACHUTE WHICH SHOULD BE SHIPPED TO HE AREA ABOUT 3-2067.
- =	
Ya	THE PACK AND ELAP
25XIALLES L	
25/(14	FOR MIS ADMICE ON
	- (ENI OF (ESTING THEE
	MODS REQUIRE.
	(d) IF ANY TESTING IS DONE
	ON PARACHUTE WE WAMP TO INCLUDE THE BATTERY FACK FOR
	6. STATUS OF FACE HEAR.
	E PRUCE 13 AWARE OF OUR
	(L) HE IS LNAWARE PLAT WE HAVE
	24 Approved For Release 2002/06/24: CIA-REP 75B00285R000400130004-04 TERIS 24 JUNION NO INCREASING VOCTAGE 6 36 VOCTO
	Follower VOLTAGE 6 36 VOCA

(C) OLD SYSTEM WAS ZU VOLTS NEW BATTERIES ARE CONFIGURED DIFFERENTLY. THEY ARE 9/16 DIA, BY 2.00 LONG.

(d) OUR CURRENT TESTS IN THE COLD BOX SEEM TO INDICATE THAT 36 VOLTS WILL DEFOGE THE FACIAL AREA DURING THE DESCENT PROFILE.